



# UZLEX DS 390

## TECHNICAL DATA SHEET

UZLEX  
WWW.UZLEX.EU

### PRODUCT DESCRIPTION

Double-sided adhesive polyethylene foam mounting tape, used for long lasting mounting of decorative and functional trims, decals, logos, displays and components for the automotive industry. UZLEX DS 390 is using acrylic pressure sensitive adhesive offers an excellent bonding with high resistance against temperature, ageing, UV and solvent and is therefore suitable for outdoor use. The permanent elastic compressible foam carrier allows different expansion rates between the substrates. Also suitable for slightly rough and structured surfaces

### APPLICATIONS

UZLEX DS 390 meets the required specifications of the automotive industry. Good for other applications in the sign industry, construction industry and automotive aftercare market.

### TECHNICAL DATA

Adhesive type:	Acrylic, Black
Adhesion [N/25mm]:	16,25 +/-10 %
Carrier:	Polyethylene foam, black
Liner:	PE-film, green
Thickness [mm]:	0,9 +/- 0,1mm
Temperature resistance [°C]:	-40/ +95

### STANDART DIMENTIONS

6mm x 50m	19mm x 50m
9mm x 50m	
12mm x 50m	

### SELF LIFE

When stored in the original packaging at 21°C and at 50% relative humidity the product has a shelf life of 12 months. Prior to use carefully check that the contact surfaces are totally dry and clean from oil/grease and dust.

### SAFETY DATA SHEET

When used under normal conditions, this product does not generate or release any dangerous substances or hazardous chemicals. This is a non-hazardous product in accordance with the current GefStoffV and EU criteria. Therefore it is not necessary to prepare a Material Safety Data Sheet for this product. The Safety Data Sheet serves only to comply with the regulation to supply information in accordance with REACH Regulation (EC) No. 1907/2006 and is available on request. This product is not a hazardous product with regards to transportation legislation; neither does it contain substances that are hazardous to water within the meaning of the federal water act. After use, dispose of the waste product in accordance with the local / national authorities.

The information set forth herein has been gathered from standard reference materials and/or supplier test data and is to the best knowledge and belief of UZLEX, accurate and reliable, however, without any responsibility for results due to several different kinds of material and application processes. Therefore, we highly recommend that before every usage a test should be conducted on the original material. UZLEX makes no warranties, expressed or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility.